

Interal T.C.
INTERTRUSS 22

INTERTRUSS 22

INTERTRUSS 22


The Intertruss 22 is particularly well suited for integrating a decorative accent into various interiors. Ideal for use in shops and/or show room interiors, displays and banner shapes, the Intertruss 22 is also increasingly being used for stand construction, especially as a decorative element, due to its small size and light weight combined with large loading capacity.

Its striking industrial design makes the Intertruss 22 an eye-catcher in ant environment. The Intertruss 22 is available in bright aluminium or any Ral colour one chooses, due to the use of Powder Coated colours and finishes.


The conical connection pieces (mini size) allow quick and easy assembly, without the use of tools. Intertr produces a large assortment of corners, arches, circles and special constructions based on the Intertruss 22 series.

TECHNICAL SPECIFICATIONS PROTRUSS


TYPE	F = LADDER
ALLOY	EN-AW 6082 T6
TUBE	*22 Ø 50 X 2 MM
BRACE	*22 Ø 25 X 2 MM
CONNECTION	SMALL TYPE ALU. CONNECTION PIECE WITH SPIGOT AND R-SPRING




FS22




6021-002-001



6010-012-001



6010-013-001



6010-012-003



FS22



CONNECTION PIECES

INTERTRUSS 22 SERIES

TUBE - Ø 50 X 3

STANDARD LENGTHS (M)	0,50	1,00	1,50	2,00	3,00	4,00
----------------------	------	------	------	------	------	------

INTER22



FS22

BOXCORNER



FS22

2 WAY FEMALE CONNECTION



FS22

3 WAY FEMALE CONNECTION



FS22

4 WAY FEMALE CONNECTION



FS22

BOXCORNER WITH MALE CONNECTION