Interal T.C.
TOWER 1000

TOWER1000

The Tower 1000 belongs to the most popular series of towers. These towers are perfect for both indoor and outdoor use. Our Ground support Tower can be used for horizontal truss constructions, as well as a base for a roof construction, from small to medium.


For the Tower 1000 several sleeve blocks are available , for either using Protruss or by using Intertruss. One side of the S31 tower truss has a climbing brace. We use a special anti-slip profile in order to make the climbing easy and safe.

By using a hoist (electric or manual), each tower can support a 1000 kg. Truss spans can be pre-rigged at the ground level and be winched up to 7,5 mtrs high.

The Tower 1000 is calculated by the engineering agency Michel; this static calculation is available on request. We can always provide a calculation of the (im) possibilities if the towers are to be used in non-standard situations. After all: safety first.


Questions/info: info@interal.nl


www.interal.nl
info@interal.nl
+31 (0)478 542 018



Tower 1000


Height:	7,5 mtrs
Capacity with hoist:	1000 kg max.
Self weight:	125 kg






6032-000-001 (603004) STEELBASE WITH WHEEL TOWER 1000






6032-000-005 SHORT OUTRIGGER WITH FOOT SPINDLE TOWER 1000





6032-000-006
LONG OUTRIGGER WITH FOOT SPINDLE AND STABILISER TOWER 1000






6032-000-010 OUTRIGGERS BALLAST TANK TOWER 1000



TECHNICAL SPECIFICATIONS PROTRUSS	
TYPE	S= SQUARE
ALLOY	EN-AW 6082 T6
TUBE	S31-T Ø 48 X 3 MM
BRACE	S31-T Ø 16 X 2 MM
CLIMBING BRACE	S31-T Ø 32,5 X 3 MM
CONNECTION	ALU. CONNECTION PIECE WITH SPIGOT AND R-SPRING


TOWERTRUSS S31-050T
TOWERTRUSS S31-071T
TOWERTRUSS S31-079T
TOWERTRUSS S31-100T
TOWERTRUSS S31-150T
TOWERTRUSS S31-200T
TOWERTRUSS S31-250T
TOWERTRUSS S31-300T
TOWERTRUSS S31-350T
TOWERTRUSS S31-400T
TOWERTRUSS S31-450T





6036-000-002 TOWER 1000 LIFTER






6031-000-003 (603010) SLEEVEBLOCK TOWER 1000
PROTRUSS S31 / T31 / S41 / T41 / FS34








6010-002-004 4 X
MALE CONNECTION (CONNECTED / SLEEVEBLOCK 6031-000-003)








6031-009-010
RACK S31 L=75 (CONNECTED / SLEEVEBLOCK 6031-000-003)








6031-009-012
RACK S31 L=157 (CONNECTED / SLEEVEBLOCK 6031-000-003) ADAPTOR RACK FOR STANDCORNER SIZE / SLEEVEBLOCK

SLEEVEBLOCK I RACK









6031-009-017 RACK S41 L=75 (CONNECTED / SLEEVEBLOCK 6031-000-003)








6031-009-029
RACK/PLATE S41 L=208 (CONNECTED / SLEEVEBLOCK 6031-000-003) ADAPTOR RACK FOR STANDCORNER SIZE / SLEEVEBLOCK






6031-000-002 SLEEVEBLOCK TOWER 1000 INTERTRUSS T31/S31 FS43/44









6021-002-007 4 X
MALE CONNECTION (CONNECTED / SLEEVEBLOCK 6031-000-002)








6031-009-021 RACK FS34 L=75 (CONNECTED / SLEEVEBLOCK 6031-000-003)








6031-009-022 RACK FS34/FS34D L=150 (CONNECTED / SLEEVEBLOCK 6031-000-002)
ADAPTOR RACK FOR STANDCORNER SIZE / SLEEVEBLOCK

SLEEVEBLOCK I RACK








6031-009-024
RACK FS44/FS44D L=75 (CONNECTED / SLEEVEBLOCK 6031-000-002)








6031-009-025 RACK FS44/FS44D L=93 (CONNECTED / SLEEVEBLOCK 6031-000-002)
ADAPTOR RACK FOR STANDCORNER SIZE / SLEEVEBLOCK

NEW




CONCEPT SLEEVEBLOCK TOWER 1000 PROTRUSS / INTERTRUSS





6033-000-001 (603008) TOPSECTION TOWER 1000
S31 PRO






6033-000-004 TOPSECTION HAND CHAIN HOIST TOWER 1000
S31 PRO

NEW






6034-000-009 CHAINHOIST ATTACHMENT TOWER 1000 PRO/INTER

WHEN ORDERING A CHAIN HOIST-ATTACHMENT PLEASE SUPPLY US WITH THE FOLLOWING INFORMATION:


- MANUFACTURER OF THE CHAIN HOIST (CM LOADSTAR / STAGEMAKER / CHAINMASTER / ETC.)
- LEVEL OF CONTROL (STANDARD BVG D8 / BVD D8+ / BVG C1)
- CAPACITY OF THE HOIST (KG)
- MANUFACTURER PRODUCT NUMBER OF THE HOIST (IF AVAILABLE)







6034-000-001 (603031A) CHAINHOIST ATTACHMENT TOWER 1000 PRO/INTER





6033-000-002 TOPSECTION TOWER 1000
FS34 INTER






6033-000-005 TOPSECTION HAND CHAIN HOIST TOWER 1000
FS34 INTER

NEW






6034-000-009 CHAINHOIST ATTACHMENT TOWER 1000 PRO/INTER

WHEN ORDERING A CHAIN HOIST-ATTACHMENT PLEASE SUPPLY US WITH THE FOLLOWING INFORMATION:

- MANUFACTURER OF THE CHAIN HOIST (CM LOADSTAR / STAGEMAKER / CHAINMASTER / ETC.)
- LEVEL OF CONTROL (STANDARD BVG D8 / BVD D8+ / BVG C1)
- CAPACITY OF THE HOIST (KG)
- MANUFACTURER PRODUCT NUMBER OF THE HOIST (IF AVAILABLE)





6034-000-001 (603031A) CHAINHOIST ATTACHMENT TOWER 1000 PRO/INTER



06-016-004 STEELBASE INDEXING PLUNGER M12



06-016-003 STEELBASE WHEEL Ø125



06-016-008 SAFTY CHAIN TOWER 1000 1 MTR. WLL 1000KG.



06-016-020 O RING A13 2300, KG. 60X110




6033-014-002 (603028CM) TOPSECTION WHEEL TOWER 1000



6031-014-003 SLEEVEBLOCK WHEEL Ø64






6032-016-011 STABILISER TOWER 1000



06-016-006 FOOT SPINDLE 400MM


PARTS






MALE HALF CONNECTION M12+15 T
PROTRUSS **6010-002-004 (601017 TOW)**
INTERTRUSS **6021-002-007 (602117 TOW)**





FEMALE CONNECTION Ø13.5 L=75
PROTRUSS **6010-001-005 (601018)** STANDARD
INTERTRUSS **6021-001-003 (602118)**





HINGEPART STANDARD
PROTRUSS **6030-000-005 (603020)** SQ45°ST.
INTERTRUSS **6030-000-010 (603120)** SQ45°ST.





6030-012-002 (603021) HINGEPART SPIGOT




6050-013-001 (605013) HINGEPART R-SPRING




6030-012-003 SPIGOT (CHAINHOIST ATTACHMENT 6034-000-009)




6034-016-008 SPIGOT (CHAINHOIST ATTACHMENT 6034-000-001)




6031-000-003 SLEEVEBLOCK




6031-000-003 SLEEVEBLOCK



6031-000-003 SLEEVEBLOCK



6032-000-001 STEELBASE



6032-000-001 STEELBASE