Interal T.C.

CLAW CLAMPS &RIGGING

CLAWCLAMP



DOUGHTY T57001
SWL: 750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 30MM
FIXINGS: M12 HOLE
WEIGHT: 0.41 KG

06-010-006 SLIMLINE CLAMP



DOUGHTY T57000
SWL:750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE
WEIGHT: 0.63 KG

06-010-005 STANDARD CLAMP



DOUGHTY T58030
SWL: 750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 30MM
TUBE CENTRES: 110MM
WEIGHT: 0.89 KG

06-010-019 SLIMLINE SWIVEL COUPLER



DOUGHTY T57100
SWL: 750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
TUBE CENTRES: 110MM
WEIGHT: 1.32 KG

06-010-020 STANDARD SWIVEL COUPLER



DOUGHTY T58781
SWL: 750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 30MM
FIXINGS: M12 HOLE

06-010-022 SLIMLINE SIDE ENTRY CLAMP



DOUGHTY T58780
SWL: 750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE

06-010-007 STANDARD SIDE ENTRY CLAMP



DOUGHTY T58800
SWL: 100 KG
TUBE DIAMETERS: 32MM
WIDTH: 30MM
FIXINGS: M6 HOLE
WEIGHT: 0.41 KG

06-010-011 ATOM COUPLER



DOUGHTY T58122
SWL: 75 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 32MM
FIXINGS: M10 HOLE
WEIGHT: 0.18 KG

06-010-023 SLW HOOK COUPLER



DOUGHTY T58014
SWL: 340 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 30MM
FIXINGS: M12 EYE NUT
WEIGHT: 0.61 KG

06-010-025 SLIMLINE HANGING COUPLER WITH RING



DOUGHTY T57205
SWL: 340 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 EYE NUT
WEIGHT: 0.84 KG

06-010-024 STANDARD HANGING COUPLER WITH RING

CLAWCLAMP



DOUGHTY
SWL:750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE
WEIGHT: 0.63 KG

PROTRUSS
06-010-026
COUPLER (06-010-005) WITH FEMALE 75MM (6010-001-005)



DOUGHTY
SWL:750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE
WEIGHT: 0.63 KG

INTERTRUSS
06-010-027
COUPLER (06-010-005) WITH **INTER** FEMALE 75MM (6021-001-003)



DOUGHTY
SWL:750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE
WEIGHT: 0.63 KG

PROTRUSS
06-010-028
COUPLER (06-010-005) WITH **PRO** HALF MALE (6010-002-002)



DOUGHTY
SWL:750 KG
TUBE DIAMETERS: 48 TO 51MM
WIDTH: 50MM
FIXINGS: M12 HOLE
WEIGHT: 0.63 KG

INTERTRUSS
06-010-029
COUPLER (06-010-005) WITH **INTER** HALF MALE (6021-002-004)



COUPLER 400200010
SWL: 450 KG
TUBE DIAMETERS: 48 TO 51 MM
WIDTH: 50MM
FIXINGS: M10 HOLE

PROTRUSS
06-010-032
COUPLER (06-010-016) WITH **PRO** FEMALE 75MM (6010-001-005)



COUPLER 400200010
SWL: 450 KG
TUBE DIAMETERS: 48 TO 51 MM
WIDTH: 50MM
FIXINGS: M10 HOLE

INTERTRUSS
06-010-033
COUPLER (06-010-016) WITH **INTER** FEMALE 75MM (6010-001-003)



COUPLER 400200010
SWL: 450 KG
TUBE DIAMETERS: 48 TO 51 MM
WIDTH: 50MM
FIXINGS: M10 HOLE

PROTRUSS
06-010-036
COUPLER (06-010-016) WITH **PRO** HALF MALE (6010-002-008)



COUPLER 400200010
SWL: 450 KG
TUBE DIAMETERS: 48 TO 51 MM
WIDTH: 50MM
FIXINGS: M10 HOLE

INTERTRUSS
06-010-037
COUPLER (06-010-016) WITH **INTER** HALF MALE (6021-002-003)

CLAWCLAMP



DOUGHTY T58728
STABILISER COUPLER
TUBE DIAMETERS: 48 TO 51MM
WITH 41.4MM ROUND SHANK
PLUG
WEIGHT: 0.67 KG

06-010-004 CLAW CLAMP



DOUGHTY T58791
LOCKING ELBOW
45MM PLUG
WEIGHT: 0.72 KG

06-010-009 LOCKING ELBOW Ø45MM



DOUGHTY T58792
LOCKING ELBOW
41,5MM PLUG
WEIGHT: 0.72 KG

06-010-031 LOCKING ELBOW Ø41.5MM



DOUGHTY T58757
CLAW CLAMP
Ø48 TUBE
44MM PLUG
WEIGHT: 0.39 KG

06-010-001 CLAW CLAMP



DOUGHTY T58762
CLAW CLAMP
Ø51 TUBE
41,5MM PLUG
WEIGHT: 0.39 KG

06-010-003 CLAW CLAMP



DOUGHTY T58758
CLAW CLAMP
Ø48 TUBE
41.5MM PLUG
WEIGHT: 0.39 KG

06-010-002 CLAW CLAMP



400201300
UNI-PLATE FITTINGCLAMP
6-10MM

400201305
UNI-PLATE FITTINGCLAMP
10-16MM

06-010-038 UNI-PLATE FITTINGCLAMP 6-10MM
06-010-039 UNI-PLATE FITTINGCLAMP 10-16MM



400200010
SWL: 450 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 50
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-016 COUPLER



400200065
SWL: 450 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 50
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-084 COUPLER



400200005
SWL: 200 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-015 COUPLER



400200060
SWL: 200 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-083 COUPLER



400200960
SWL: 75 KG
TUBE DIAMETERS: 32 TO 35MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-013 COUPLER



400200970
SWL: 75 KG
TUBE DIAMETERS: 32 TO 35MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-081 COUPLER



400200000
SWL: 100 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-014 COUPLER



400200055
SWL: 100 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-082 COUPLER



400200963
SWL: 10 KG
TUBE DIAMETERS: 20MM
WIDTH: 20MM
FIXINGS: M6 HOLE
COLOUR: SILVER

06-010-088 COUPLER



400200025
SWL: 125 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-018 SIDE ENTRY COUPLER

CLAWCLAMP



400200030
SWL: 120 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-017 TRIGGER COUPLER



400200070
SWL: 120 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-085 COUPLER



400200050
SWL: 450 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 50MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-034 COUPLER



400200080
SWL: 450 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 50MM
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-087 COUPLER



400200045
SWL: 200 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: SILVER

06-010-035 COUPLER



400200075
SWL: 200 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M10 HOLE
COLOUR: BLACK

06-010-086 COUPLER




400200040
SWL: 100 KG
TUBE DIAMETERS: 49 TO 51MM
WIDTH: 30MM
FIXINGS: M8 HOLE
COLOUR: SILVER

06-010-090 COUPLER




400200975
SWL: 75 KG
TUBE DIAMETERS: 32 TO 37MM
WIDTH: 30MM
FIXINGS: M8 HOLE
COLOUR: SILVER

06-010-089 COUPLER




TUBE Ø48X3
06-010-002 T58758 CLAW Ø48
06-010-003 T58762 CLAW Ø50


FLEXIBLE BOOM ARM WITH MALE CONNECTION AND CLAW, WELDABLE




06-010-041 FLEX CLAW CLAMP 200 MM **PRO**



06-010-043 FLEX CLAW CLAMP 200 MM **INTER**



06-010-042 FLEX CLAW CLAMP 320 MM **PRO**




06-010-044 FLEX CLAW CLAMP 320 MM **INTER**




TUBE Ø48X3
06-010-005 T57000 COUPLER Ø48/Ø50


FLEXIBLE BOOM ARM WITH MALE CONNECTION AND CLAMP, WELDABLE




06-010-048 FLEX COUPLER 200 MM **PRO**




06-010-050 FLEX COUPLER 200 MM **INTER**




06-010-049 FLEX COUPLER 320 MM **PRO**




06-010-052 FLEX COUPLER 320 MM **INTER**



06-010-047 FLEX COUPLER 500 MM **PRO**




06-010-053 FLEX COUPLER 500 MM **INTER**




06-010-005 T57000 COUPLER Ø48/Ø50
1. PROTRUSS TUBE Ø48X3
2. INTERTRUSS TUBE Ø50X3


BOOM ARM WITH FEMALE CONNECTION AND COUPLER, ROTATABLE




06-010-054 COUPLER FLEX AND FEMALE 210 MM **PRO**




06-010-055 COUPLER FLEX AND FEMALE 210 MM **INTER**




06-010-056 COUPLER FLEX AND FEMALE 330 MM **PRO**



06-010-057 COUPLER FLEX AND FEMALE 330 MM **INTER**




06-010-051 COUPLER FLEX AND FEMALE 500 MM **PRO**




06-010-058 COUPLER FLEX AND FEMALE 500 MM **INTER**




BOOM ARM WITH FEMALE CONNECTION AND CLAW, WELDABLE




06-010-059 CLAW AND FEMALE 210 MM **PRO**



06-010-060 CLAW AND FEMALE 210 MM **INTER**




06-010-061 CLAW AND FEMALE 330 MM **PRO**




06-010-062 CLAW AND FEMALE 330 MM **INTER**




BOOM ARM WITH FEMALEMALE CONNECTION AND COUPLER, WELDABLE




06-010-063 COUPLER AND FEMALE 210 MM **PRO**



06-010-064 COUPLER AND FEMALE 210 MM **INTER**



COUPLER AND FEMALE 330 MM **PRO 06-010-065**




06-010-021 COUPLER AND FEMALE 330 MM **INTER**







LIFTING BRACKET




06-010-067 LIFTING BRACKET (DECOTRUSS 20) 40X40X3
WITH COUPLER Ø32 AND EYE NUT




06-010-068 LIFTING BRACKET (PROTRUSS 30) 70X40X4
WITH COUPLER Ø50 AND EYE NUT 1000KG.




06-010-069 LIFTING BRACKET (PROTRUSS 30) 50X30X4
WITH COUPLER Ø50 AND EYE NUT 500KG.




06-010-070 LIFTING BRACKET (PROTRUSS 30) 50X30X3
WITH COUPLER Ø50 AND EYE NUT




06-010-071 LIFTING BRACKET (PROTRUSS 40) 80X50X4
WITH COUPLER Ø50 AND EYE NUT 1000KG.




06-010-072 LIFTING BRACKET (INTERTRUSS FS44) 80X50X4
WITH COUPLER Ø50 AND EYE NUT 1000KG.




06-010-073 LIFTING BRACKET (PROTRUS 40) AND (INTERTRUSS 40) 80X50X4 WITH COUPLER Ø50 AND EYE NUT (SLOTTED HOLE)




06-010-074 LIFTING BRACKET (JUMBOTRUS 50) 60X60X6 WITH COUPLER Ø50 AND EYE NUT 1000KG.



06-010-075 LIFTING BRACKET (JUMBOTRUS 60) 60X60X6 WITH COUPLER Ø50 AND EYE NUT 1000KG.



06-010-076 LIFTING BRACKET (JUMBOTRUS P36S) 80X50X4 WITH COUPLER Ø50 AND EYE NUT 1000KG.




06-010-077 LIFTING BRACKET (JUMBOTRUS P36R) 80X50X4 WITH COUPLER Ø50 AND EYE NUT 1000KG.

RIGGING

EYE NUT	M	D1	D2	WLL
06-016-013	M10	45	25	230 KG.
06-016-014	M12	54	30	340 KG.
06-010-015	M16	63	35	700 KG.
EYE BOLT				
06-016-030	M10	45	25	230 KG.
06-016-031	M12	54	30	340 KG.
06-010-032	M16	63	35	700 KG.








EYE NUT	M	D1	D2	WLL
06-016-009	M12	63	35	1600 KG.
06-016-010	M16	63	35	4000 KG.
EYE BOLT				
06-016-033	M12	63	35	1600 KG.
06-016-034	M16	63	35	4000 KG.







SHACKLES BOLT	D	B	W	WLL
06-016-016	1/2"	37,4	22,2	2000 KG.
06-016-017	5/8"	43,8	29,3	3250 KG.
06-016-019	3/4"	59,5	34,2	4750 KG.





SAFTY CHAIN - MASTER LINK - SHORTENING - GAFF HOOK

	LENGTH	WLL
06-016-007	1MTR.	2000 KG.
06-016-008	1MTR.	1000 KG.

MASTER LINK

	TYPE	WORKLOAD	DIMENSION
06-016-020	A 13	2300 KG.	60X110
06-016-021	A 16	3500 KG.	60X110




BEAM CLAMP

	VWL	DIMENSION
06-016-022	1000 KG.	75X230
06-016-023	2000 KG.	75X230
06-016-024	3000 KG.	80X320







TRUSS SUSPENSION



6070-100-008 TRUSS SUSPENSION T20 30MM WIDE



6070-100-010 TRUSS SUSPENSION T30 50MM WIDE



6070-100-009 TRUSS SUSPENSION T40 50MM WIDE





